

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
12 May 2005 (12.05.2005)

PCT

(10) International Publication Number
WO 2005/041940 A1

(51) International Patent Classification⁷: A61K 9/20, 9/48 (74) Agents: MAJUMDAR, S. et al.; S. MAJUMDAR & CO., 5, Harish Mukherjee Road, 700 025 Kolkata (IN).

(21) International Application Number:
PCT/IN2003/000346

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(22) International Filing Date: 30 October 2003 (30.10.2003)

(25) Filing Language: English

(26) Publication Language: English

(71) Applicant (for all designated States except US): LUPIN LTD. [IN/IN]; 159, CST Road, Kalina, Santacruz (E), 400 098 Mumbai (IN).

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- with amended claims and statement

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 2005/041940 A1

(54) Title: STABLE FORMULATIONS OF ACE INHIBITORS AND METHODS FOR PREPARATION THEREOF

(57) Abstract: Stabilized pharmaceutical solid composition of ACE inhibitor comprising an ACE inhibitor and a selective dosage formulation thereof comprising of meglumine. The ACE inhibitor selectively combined with a dosage form including essentially the meglumine is surprisingly found to avoid the degradation of ACE inhibitor by such dosage forms especially the commonly used pharmaceutical excipients. In particular, the presence of the meglumine in the dosage form for the active along with the active ACE inhibitor surprisingly avoid the degradation of the ACE inhibitor due to a) cyclization via internal nucleophilic attack to form substituted diketopiperazines, b) hydrolysis of the side chain ester group, and c) oxidation to form products having often unwanted coloration.